

Please carefully read and follow the general instructions regarding exercises. Failing to meet the requirements might lead to penalties. https://elearn.uef.fi/mod/page/view.php?id=248672

If you suspect that something is wrong with some exercise question, please contact the lecturer.

If you face persistent issues while working on an exercise, do ask for help, e.g. during a course meeting or by contacting the lecturer via email.

Problem 1 (Predicting class labels with a decision tree).

a) Use the decision tree shown in Figure 1 (right) to predict labels for the seven test instances shown in Figure 1 (left).

*b*) Write down the contingency matrix and compute the corresponding accuracy.



Figure 1: A set of test instances (left) and a decision tree (right).

It is then assumed that the blue and yellow classes are equivalent for the purpose of the study and the task of interest is discriminating red instances (positive class) from the rest (negative class).

The output from the task in question (*a*) can be binarized accordingly.

c) Write down the confusion matrix and compute the accuracy, recall and precision.

**Problem 2** (Support Vector Machines). We trained a hard-margin linear SVM for the binary classification of separating red instances from blue and yellow ones, after mapping the dataset to two dimensions as follows, where the first dimension is the sum of attributes  $v_1 + v_3$ , while attribute  $v_4$  stands as the second dimension.

For the training dataset shown in Table 1, we obtained the following vector of Lagrange multipliers:

$$\boldsymbol{a} = \langle 0, 57, 57, 0, 0, 0, 0, 130, 0, 16, 0, 0 \rangle$$

id	$v_1$	$v_2$	$v_3$	$v_4$	y	id	$v_1$	$v_2$	$v_3$	$v_4$	y
(1)	1	4	-1	0		(7)	6	2	-1	0	
(2)	3	6	-2	0		(8)	8	3	-6	0	
(3)	7	5	-6	0		(9)	7	1	1	1	
(4)	2	5	1	0		(10)	3	2	6	1	
(5)	0	4	6	0		(11)	5	1	2	1	
(6)	4	6	2	0		(12)	1	3	2	1	

Table 1: A set of training instances.

*a*) Write down the transformed training dataset and highlight the support vectors.

b) Compute the weights and bias defining the separating hyperplane (w and b).

c) Compute the predicted labels for the test dataset (the seven test instances in Figure 1 (left)).



### Data matrix ## id, v1, v2, v3, v4, y ## training instances 1, 1, 4, -1, 0, blue 2, 3, 6, -2, 0, blue 3, 7, 5, -6, 0, blue 4, 2, 5, 1, 0, red 5, 0, 4, 6, 0, red 6, 4, 6, 2, 0, red 7, 6, 2, -1, 0, red 8, 8, 3, -6, 0, red 9, 7, 1, 1, 1, yellow 10, 3, 2, 6, 1, yellow 11, 5, 1, 2, 1, yellow 12, 1, 3, 2, 1, yellow ## test instances 13, 7, 4, -6, 0, blue 14, 3, 3, 1, 0, blue 15, 4, 5, -2, 0, red 16, 6, 5, 6, 1, red 17, 0, 3, -1, 0, red 18, 9, 2, 1, 1, red 19, 1, 1, 6, 0, yellow